

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L328008-35-92306102-2  
**Report Reference** E328008-20160329  
**Date** 27-Jul-2021

**Issued to:** Cooper Lighting, LLC  
1121 HIGHWAY 74 S PEACHTREE CITY, GA  
United States 30269-3019

**This is to certify that representative samples of** IFAM7 - Light-emitting-diode Surface-mounted Luminaires  
Certified for Canada  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** CSA C22.2 NO. 250.0-08, 3rd Ed., Issue Date: 2008-09-01,  
Revision Date: 2012-10-17

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number**    UL-CA-L328008-35-92306102-2  
**Report Reference**      E328008-20160329  
**Date**                        27-Jul-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<b>Corner</b> , C2xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C2xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C2xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C3xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C3xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C3xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C4xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C4xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C4xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C5xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L328008-35-92306102-2  
**Report Reference** E328008-20160329  
**Date** 27-Jul-2021

<p><b>Corner</b>, C5xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions</p>	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<p><b>Corner</b>, C5xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions</p>	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<p><b>Define Series</b>, NS125, may be followed by additional suffixes</p>	LED Surface Mounted Luminaire
<p><b>Define Series</b>, S122, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<p><b>Define Series</b>, S123, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<p><b>Define Series</b>, S124, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<p><b>Define Series</b>, S125, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	Light-Emitting-Diode (LED) Surface-Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L328008-35-92306102-2  
**Report Reference** E328008-20160329  
**Date** 27-Jul-2021

<b>Define Series</b> , S12axDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L328008-15-92306102-2  
**Report Reference** E328008-20160329  
**Date** 27-Jul-2021

**Issued to:** Cooper Lighting, LLC  
1121 HIGHWAY 74 S PEACHTREE CITY, GA  
United States 30269-3019

**This is to certify that representative samples of** IFAM - Light-emitting-diode Surface-mounted Luminaires  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 1598, 3rd Ed., Issue Date: 2008-09-17, Revision Date: 2012-10-17

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L328008-15-92306102-2  
**Report Reference** E328008-20160329  
**Date** 27-Jul-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
<b>Corner</b> , C2xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C2xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C2xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C3xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C3xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C3xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C4xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C4xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C4xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Corner</b> , C5xDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number**    UL-US-L328008-15-92306102-2  
**Report Reference**     E328008-20160329  
**Date**                      27-Jul-2021

<p><b>Corner</b>, C5xDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions</p>	<p style="text-align: center;">Light-Emitting-Diode (LED) Surface-Mounted Luminaire</p>
<p><b>Corner</b>, C5xDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions</p>	<p style="text-align: center;">Light-Emitting-Diode (LED) Surface-Mounted Luminaire</p>
<p><b>Define Series</b>, NS125, may be followed by additional suffixes</p>	<p style="text-align: center;">LED Surface Mounted Luminaire</p>
<p><b>Define Series</b>, S122, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	<p style="text-align: center;">Light-Emitting-Diode (LED) Surface-Mounted Luminaire</p>
<p><b>Define Series</b>, S123, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	<p style="text-align: center;">Light-Emitting-Diode (LED) Surface-Mounted Luminaire</p>
<p><b>Define Series</b>, S124, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	<p style="text-align: center;">Light-Emitting-Diode (LED) Surface-Mounted Luminaire</p>
<p><b>Define Series</b>, S125, followed by @DP, @DS, @DW, @DIP, @DIW, @IW, @IP, may be followed by -yy-yy-S, -yy-yy-H, -yy-yy-T, -yy-yy-C, where @ may be blank or R, y may be blank or any alphanumeric character.</p> <p>Catalog Numbers may be followed by additional suffixes to represent downlight option. Catalog Numbers may also be followed by additional suffixes which represent non-safety related product revisions.</p>	<p style="text-align: center;">Light-Emitting-Diode (LED) Surface-Mounted Luminaire</p>



Bruce Mahrenholz, Director North American Certification Program

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L328008-15-92306102-2  
**Report Reference** E328008-20160329  
**Date** 27-Jul-2021

<b>Define Series</b> , S12axDIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDS, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axDW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axIP, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire
<b>Define Series</b> , S12axIW, Catalog number may be followed by additional suffixes to represent downlight option: Catalog number may also be followed by additional suffixes which represent non-safety related product revisions	Light-Emitting-Diode (LED) Surface-Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

