Certificate Number Report Reference Date	UL-US-L328008-16-41218102-1 E328008-20181214 30-Jun-2021
Issued to:	Cooper Lighting, LLC 1121 HIGHWAY 74 S PEACHTREE CITY, GA United States 30269-3019
This is to certify that representative samples of	IFAM - Light-emitting-diode Surface-mounted Luminaires See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 1598, 4th Ed., Issue Date: 2018-08-28
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date UL-US-L328008-16-41218102-1 E328008-20181214 30-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
GRZ-xxL-yzz-wwww-S-aF, GRZ-xxL-yzz-wwww-S-aF, where	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT</li> <li>wwww: any alphanumeric character indicating optic beam angle</li> <li>aF: 1,2,4 (feet) or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	
LM, LM-xxL-yzz-aa, LM series, models LM-xxL-yzz-aa where:	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT</li> <li>aa: 12, 24, 48 or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Certificate Number Report Reference Date	UL-CA-L328008-36-41218102-1 E328008-20181214 30-Jun-2021
Issued to:	Cooper Lighting, LLC 1121 HIGHWAY 74 S PEACHTREE CITY, GA United States 30269-3019
This is to certify that representative samples of	IFAM7 - Light-emitting-diode Surface-mounted Luminaires Certified for Canada See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 250.0-18, 4th Ed., Issue Date: 2018-08-28
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bamples


Bruce Mahrenholz, Director North American Certification Program

Certificate Number Report Reference Date UL-CA-L328008-36-41218102-1 E328008-20181214 30-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
GRZ-xxL-yzz-wwww-S-aF, GRZ-xxL-yzz-wwww-S-aF , where	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT</li> <li>www: any alphanumeric character indicating optic beam angle</li> <li>aF: 1,2,4 (feet) or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	
LM, LM-xxL-yzz-aa, LM series, models LM-xxL-yzz-aa where:	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT</li> <li>aa: 12, 24, 48 or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	

Bampleg







Certificate Number Report Reference Date	UL-US-L328008-121-41218102-3 E328008-20181214 30-Jun-2021
Issued to:	Cooper Lighting, LLC 1121 HIGHWAY 74 S PEACHTREE CITY, GA United States 30269-3019
This is to certify that representative samples of	IFAM - Light-emitting-diode Surface-mounted Luminaires See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 1598, 4th Ed., Issue Date: 2018-08-28
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bamples

Bruce Mahrenholz, Director North American Certification Program


UL LLC

Certificate Number Report Reference Date UL-US-L328008-121-41218102-3 E328008-20181214 30-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
GRZ-xxL-yzz-wwww-S-aF, GRZ-xxL-yzz-wwww-S-aF, where	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT</li> <li>wwww: any alphanumeric character indicating optic beam angle</li> <li>aF: 1,2,4 (feet) or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	
LM, LM-xxL-yzz-aa, LM series, models LM-xxL-yzz-aa where:	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI</li> <li>zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT</li> <li>aa: 12, 24, 48 or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	

Bampleg







Certificate Number Report Reference Date	UL-CA-L328008-321-41218102-3 E328008-20181214 30-Jun-2021
Issued to:	Cooper Lighting, LLC 1121 HIGHWAY 74 S PEACHTREE CITY, GA United States 30269-3019
This is to certify that representative samples of	IFAM7 - Light-emitting-diode Surface-mounted Luminaires Certified for Canada See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 250.0-18, 4th Ed., Issue Date: 2018-08-28
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bamely

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date UL-CA-L328008-321-41218102-3 E328008-20181214 30-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
GRZ-xxL-yzz-wwww-S-aF, GRZ-xxL-yzz-wwww-S-aF, where	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT</li> <li>wwww: any alphanumeric character indicating optic beam angle</li> <li>aF: 1,2,4 (feet) or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	
LM, LM-xxL-yzz-aa, LM series, models LM-xxL-yzz-aa where:	LED Surface Mounted Luminaire
<ul> <li>xx: 5, 10, or 15 or any alphanumeric character indicating lumen level</li> <li>y: 9 or any alphanumeric character indicating CRI zz: 27, 30, 35, 40 or any alphanumeric character indicating CCT aa: 12, 24, 48 or other alphanumeric characters indicating fixture length</li> </ul>	
Nomenclature may contain additional alphanumeric characters indicating non-safety related product revisions.	

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC

