Certificate Number Report Reference Date	UL-CA-L329296-310-32809102-4 E329296-20190823 20-Apr-2023
Issued to:	Cooper Lighting, LLC 1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019 United States
This is to certify that representative samples of	IFAO7 - Light-emitting-diode Recessed Luminaires Certified for Canada See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Oebrah Jenning - Corne Deborah Jennings-Conner, VP Regulatory Services

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

Certificate Number Report Reference Date UL-CA-L329296-310-32809102-4 E329296-20190823 20-Apr-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
14CGT40yyC, where yy may be 30 through 50	LED recessed luminaire
14CGT40yyC-347, where yy may be 30 through 50	LED recessed luminaire
14FLR40yyC	LED recessed luminaire
22CGT25yyC, where yy may be 30 through 50	LED recessed luminaire
22CGT25yyC-347, where yy may be 30 through 50	LED recessed luminaire
22CGT35yyC, where yy may be 30 through 50	LED recessed luminaire
22CGT35yyC-347, where yy may be 30 through 50	LED recessed luminaire
22FLR35yyC	LED recessed luminaire
24CGT45yyC, where yy may be 30 through 50	LED recessed luminaire
24CGT45yyC-347, where yy may be 30 through 50	LED recessed luminaire
24CGT55yyC, where yy may be 30 through 50	LED recessed luminaire
24CGT55yyC-347, where yy may be 30 through 50	LED recessed luminaire
24FLR45yyC	LED recessed luminaire
24FLR55yyC	LED recessed luminaire

Olbrah Jenning- Corne Deborah Jennings-Conner, VP Regulatory Services

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>



Certificate Number Report Reference Date	UL-US-L329296-110-32809102-4 E329296-20190823 20-Apr-2023
Issued to:	Cooper Lighting, LLC 1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019 United States
This is to certify that representative samples of	IFAO - Light-emitting-diode Recessed Luminaires See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Oebrah Jenning - Corne Deborah Jennings-Conner, VP Regulatory Services

#### UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

Certificate Number Report Reference Date UL-US-L329296-110-32809102-4 E329296-20190823 20-Apr-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
14CGT40yyC, where yy may be 30 through 50	LED recessed luminaire
14CGT40yyC-347, where yy may be 30 through 50	LED recessed luminaire
14FLR40yyC	LED recessed luminaire
22CGT25yyC, where yy may be 30 through 50	LED recessed luminaire
22CGT25yyC-347, where yy may be 30 through 50	LED recessed luminaire
22CGT35yyC, where yy may be 30 through 50	LED recessed luminaire
22CGT35yyC-347, where yy may be 30 through 50	LED recessed luminaire
22FLR35yyC	LED recessed luminaire
24CGT45yyC, where yy may be 30 through 50	LED recessed luminaire
24CGT45yyC-347, where yy may be 30 through 50	LED recessed luminaire
24CGT55yyC, where yy may be 30 through 50	LED recessed luminaire
24CGT55yyC-347, where yy may be 30 through 50	LED recessed luminaire
24FLR45yyC	LED recessed luminaire
24FLR55yyC	LED recessed luminaire

Olbrah Jenning- Corne Deborah Jennings-Conner, VP Regulatory Services

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

